Map projections 1: principles


How can we 'project' a 3D globe onto a 2D display?

...only a globe maintains all spatial qualities without distortion




What is a Map Projection?

a mathematical expression giving the 3D surface on a 2D map



Why don't planes fly on straight lines – well they do ...




flight routes are 'great circles' ... straight line in 3D space – but curves here

The world could be mapped like orange peel ... - not a problem locally, but it is for large areas




the strips would still have some curvature .. and gaps between the strips



http://boehmwanderkarten.de/kartographie/is_netze_globussegmente.html

12 pieces




48 pieces

becoming like UTM zones ! Or they can be made by literally 'projecting' the globe onto a map ...

Azimuthal (planar) projections

North Pole

Azimuthal projection



The earliest projections were by the 'ancient' Greeks **Projection Terms**


1. Scale Factor (SF)

SF = scale at any location / divided by the 'principal scale'


- e.g. if scale = 1:2 million and principal scale = 1:1 million
- then SF at that point = 1/2 million divided by 1/1 million = 1/2 (0.5)

Canadian NTS maps: 'scale factor 0.9996 at UTM zone edge'

Then Plate Carree projection e.g. where every line of latitude is equal in length SF along lines of latitude are: equator SF = 1; at 60°N/S, SF = 2 at 90°, SF = ∞ 'undefined'



The SF in the other direction (along meridians) is 1




2. Developable surfaces:


A two dimensional surface onto which the globe is projected


Conic

Cylindrical


Azimuthal (planar)







3. Standard Line




Distortion increases with distance between the 'globe' and the surface


The standard line has a scale factor = 1 (it is often the line of contact)

Drawing of Projection Orientation


Cylindrical projections:



Planar projections aspects:







POLAR

EQUATORIAL


OBLIQUE

5. Distortion: compare to the graticule:

>Lines of latitude are 'parallel' and evenly spaced.

>Meridians converge at the poles, (half the distance at 60° N/S).

>Scale factor is 1 in all directions.



6. Projection properties

A projection can preserve

- >Shapes or
- ≻Areas or

>Distances (but not all)

.....but never more than one of these


a. Shape

A projection that maintains shape is 'conformal'


For example a 2x2 square becomes a 1x1 or 4x4 square. Stretching in one direction is **matched** by stretching in the other: that is, the scale factors are equal at a point in the two directions (i.e. there is 'equal-stretching').

Circles ("Tissot's Indicatrix") ->

These indicate the relative area compared to a standard area at the equator (the standard line)




b. Area



A projection that maintains area is equal area

This is achieved by sacrificing **shape**: stretching in one direction to counter for earth curvature must be **compensated** by compression in the other.

In other words, the product of the two Scale factors at any point in the two directions (N-S and E-W) = 1.0 (e.g 1×1 , 2×0.5 etc..)




(equal versus compensating stretching)

Projection properties: c.Distance

Distances can be correct in one direction from a line or in <u>all</u> <u>directions from</u> <u>a point</u>

In these cases, the projection is '**equidistant'**

Azimuthal equidistant




GUELKE'S EQUIDISTANT PROJECTION TELLS YOU EXACTLY HOW FAR IT IS FROM ANYWHERE ON

INDIAN

DELH

ace

EARTH TO TORONTO, ONTARIO, CANADA.




www.diversophy.com/guelke.htm

©Leonard Guelke. All rights reserved

Projection types (based on the developable surface)

I. Azimuthal projections



Gnomonic projection


Probably the world's oldest map projection - 6th century BC

- the <u>only one</u> that shows <u>all</u> great circles as straight lines

(but cannot show one entire hemisphere)



First map of Mars, 1867- equatorial stereographic





Dark / light = land / 'sea' .. Lines were called 'canals' ... names from geography

Photomosaic 1960 (pre-NASA): Orthographic projection

Like Earth, longitude zero is arbitrary – a feature is chosen

The Prime Meridian of the Moon lies directly in the middle of the face of the moon visible from Earth.





Azimuthal equidistant


centred on St. John's, NL

his is an AZIMUTHAL EQUIDISTANT PROJECTION centred on 3, John's, Newfoundiand. Only distances and directions neasured along straight lines radiating from the centre are true. Il straight lines passing through St. John's are great circles, beformation of the earth surface increases outward from the centre and measurements taken other than through the centre tre inaccurate.

SCALE along any straight line through the centre

1000 0 2000 4000 Kilometres

© Department of Geography, Memorial University of Newtoundland St. John's, Newfoundland, CANADA



II. Cylindrical Projections 16th century

for early world maps -They fill a rectangular shape






Plate Carrée


'Great circles' are straight lines in 3D space e.g. meridians, equator, flight lines ... but not any other parallels

Of all projections, only the **gnomonic** retains all great circles as straight lines



e.g. Equidistant rectangular projection







All 'straight lines' have constant compass bearings


= **Rhumb lines** (but the dashed line is the shortest route)

It became known as the "Navigator's friend"



Mercator (1569) 'normal'






Transverse Mercator (1772)



The TM projection is the basis for the (Universal) UTM system

- Adopted by Canada post WWII,
- SYSTEM of 60 TM projections

(1885) Gall-Peters projection (1972) – equal-area




Africa: 11.6 million sq. miles

Corrects for area distortion, but note the impact on shape

III. Conic projections - 18th century


The cone opens along a line of longitude



CONIC projections ... are all 'normal orientation' (e.g. Albers)

They can be varied by :


A: angle of the cone B: 1 or 2 standard lines



IV. Pseudo-cylindrical Projections


-19th century (and 20th)

These are geometrically constructed. The parallels are generally equally spaced but are made more proportional to their real length to minimize distortion.




Robinson projection (1963) adopted by National Geographic 1988

Poles drawn as lines to create better shapes



http://www.mapsofworld.com/projection-maps/robinson/world-political-light.html

The **Winkel tripel (Winkel III)** by Oswald Winkel in 1921, adopted by NatGeo in 1998. The name *Tripel* refers to Winkel's goal of minimizing three kinds of distortion: area, direction (shape), and distance.



IVa. Interrupted pseudo-cylindrical (e.g. Goode's, 1923)



https://southernwoodenboatsailing.com/ news/the-spilhaus-projection-a-worldmap-according-to-fish

Dr. Athelstan Spilhaus Spilhaus projection 1942

Projections websites:

https://gisgeography.com/map-projections/

https://en.wikipedia.org/wiki/List_of_map_projections



The Moocator Projection



Friday: projections in GIS / the digital world

Quiz3 to follow: